Form 3160-3 (August 1999)	٠				FORM AP	
UNITED STA	TES				Expires Noven	nber 30, 2000
DEPARTMENT OF THE	5. Lease Serial No.					
BUREAU OF LAND MA	NAGEMENT				UTU-()1191
APPLICATION FOR PERMIT 1	O DRILI	L OR RE	ENTER		6. If Indian, Allottee or	Tribe Name
1a. Type of Work: X DRILL	EENTER				7. If Unit or CA Agreen	nent, Name and No.
					UNIT #891	
	<u></u>		—	_	8. Lease Name and Wel	
b. Type of Well: Oil Well X Gas Well Other	<u> </u>	Single Zone	X Multiple	Zone	NBU 102	22-05JT
2. Name of Operator					9. API Well No.	0121101
KERR-MCGEE OIL & GAS ONSHORE LP	T-:		·			147-40153
3A. Address	3b. Phone N	lo. (include ar			10. Field and Pool, or Ex	•
PO BOX 173779, DENVER, CO 80123	7 6		29-6666		NATURAL	
4. Location of Well (Report location clearly and in accordance with		uirements.+) 39,974	776		11. Sec., T., R., M., or B	ak, and Survey or Area
At surface NWSE - 2203' FSL, 2319' FEL 631				C/1 2	SEC 5 TH	OC DOOR
At proposed prod. Zone 44260974 -109. 461863				84.2	SEC 5-T10	13. State
 Distance in miles and direction from nearest town or post office +/- MILES SOUTH EAST OF OURAY, UTAH 	, -				UINTAH	UT
15. Distance from proposed* location to nearest property or lease line ft 2203'	16. No. of A	Acres in lease	17. Spa	cing Unit dec	dicated to this well	
(Also to nearest drig. unit line, if any)	10	041.78	į.		40	
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. TOPO C		d Depth 9300	20. BLN	M/BIA Bond	No. on file WYB-000291	
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approx	imate date wor	rk will start*		23. Estimated duration	
5230 GR		UPON AP	PROVAL		TO BE DETERMINED	
	24. <i>A</i>	Attachment	ts			
The following, completed in accordance with the requirements of Or	shore Oil and	Gas Order No.	. 1, shall be atta	ched to this	form:	
1. Well plat certified by a registered surveyor.		4. Bond	to cover the o	perations unl	ess covered by an existing	bond on file (see
2. A Drilling Plan.		Item 2	0 above).			
3. A Surface Use Plan (if the location is on National Forest System Lands, the 5. Operator certification.						
· · · · · · · · · · · · · · · · · · ·				n and/or nlans as may be re	equired by the	
SUPO shall be filed with the appropriate Forest Service Office. 6. Such other site specific information and/or plans as may be required by authorized office.					quired by the	
25. Signature 0	l Nor	ne (Printed/T)	anad)		' Dat	e
halen white	•	LEEN WH				6/13/2008
Title						
SR. REGULATORY ANALYST		(D.d. 1. 1/m			177-1	
Approved by Rismanure	l Nar	ne (Printed/Ty	ipea) EVG F	411.1	Dat	118-08

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office NVIRONMENTAL MANAGER

Conditions of approval, if any, are attached.


Title 18 U.S.C. Section 1001and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on reverse)

Federal Approval of this Action is Necessary RECEIVED

JUN 1 6 2008

DIV. OF OIL, GAS & MINING



NBU 1022-05JT TWIN TO NBU 339 NWSE, SEC. 5, T10S,R22E UINTAH COUNTY, UTAH UTU-01191

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. Estimated Tops of Important Geologic Markers:

<u>Formation</u>	<u>Depth</u>
Uinta	0- Surface
Green River	1329'
Birds Nest	1650'
Mahogany	2137'
Wasatch	4524'
Mesaverde	7070'
TD	9300'

2. Estimated Depths of Anticipated Water, Oil, Gas, or Mineral Formations:

Substance	Formation	<u>Depth</u>
	Green River	1329'
Water	Birds Nest	1650'
Water	Mahogany	2137'
Gas	Wasatch	4524'
Gas	Mesaverde	7070'
Water	N/A	
Other Minerals	N/A	

3. <u>Pressure Control Equipment</u> (Schematic Attached)

Please see the Natural Buttes Unit Standard Operating Procedure (SOP).

4. **Proposed Casing & Cementing Program:**

Please see the Natural Buttes Unit SOP.

5. <u>Drilling Fluids Program</u>:

Please see the Natural Buttes Unit SOP.

6. <u>Evaluation Program</u>:

Please see the Natural Buttes Unit SOP.

7. Abnormal Conditions:

Maximum anticipated bottomhole pressure calculated at 9300' TD, approximately equals 5766 psi (calculated at 0.62 psi/foot).

Maximum anticipated surface pressure equals approximately 3720 psi (bottomhole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).

8. Anticipated Starting Dates:

Drilling is planned to commence immediately upon approval of this application.

9. Variances:

Please see Natural Buttes Unit SOP. Please see KMG sundry regarding variance request to Onshore Order #2 regarding Air drilling for surface casing


10. Other Information:

Please see Natural Buttes Unit SOP.



KERR-McGEE OIL & GAS ONSHORE LP DRILLING PROGRAM

COMPANY NAME	KERR-McGEE OIL & GAS ONSHORE LP	DATE	June 13,	2008	
WELL NAME	NBU 1022-05JT	TD	9,3001	MD/TVD	
FIELD Natural Butte	es COUNTY Uintah STATE I	Jtah	ELEVATION	5,230' GL	KB 5,245'
SURFACE LOCATION	NWSE- SEC. 5, T10S, R22E -2203' FSL, 2319	FEL		<u> </u>	BHL Straight Hole
	Latitude: 39.976810 Longitude: 109.4	461850			
OBJECTIVE ZONE(S)	Wasatch/Mesaverde				
ADDITIONAL INFO	Regulatory Agencies: UDOGM (SURF & MINI	ERALS), BI	M, Tri-County	Health Dept.	





KERR-McGEE OIL & GAS ONSHORE LP

DRILLING PROGRAM

CASING PROGRAM

							DESIGN FACTORS		
	SIZE	IN	TERVAL	WT.	GR.	CPLG.	BURST	COLLAPSE	TENSION
CONDUCTOR	14"		0-40'						
					100		3520	2020	453000
SURFACE	9-5/8"	0	to 2200	36.00	J-55	LTC	1.26	1.96	7.28
							7780	6350	201000
PRODUCTION	4-1/2"	0	to 9300	11.60	1-80	LTC	2.79	1.31	2.13
	1 2 20						1		

- 1) Max Anticipated Surf. Press.(MASP) (Surface Casing) = (Pore Pressure at next csg point-(0.22 psi/ft-partial evac gradient x TVD of next csg point)
- 2) MASP (Prod Casing) = Pore Pressure at TD (.22 psi/ft-partial evac gradient x TD)

(Burst Assumptions: TD = 10.0 ppg)

.22 psi/ft = gradient for partially evac wellbore

(Collapse Assumption: Fully Evacuated Casing, Max MW)

(Tension Assumptions: Air Weight of Casing*Buoy.Fact. of water)

MASP 2790 psi

CEMENT PROGRAM

	FT. OF FILL	DESCRIPTION	SACKS	EXCESS	WEIGHT	YIELD
SURFACE LEAD	500	Premium cmt + 2% CaCl	215	60%	15.60	1.18
Option 1		+ .25 pps flocele				
TOP OUT CMT (1)	200	20 gals sodium silicate + Premium cmt	50		15.60	1.18
		+ 2% CaCl + .25 pps flocele				
TOP OUT CMT (2)	as required	Premium cmt + 2% CaCl	as req.		15.60	1.18
SURFACE		NOTE: If well will circulate water to s	urface, op	tion 2 will b	e utilized	
Option 2 LEAD	1500	Prem cmt + 16% Gel + 10 pps gilsonite	170	35%	11.00	3.82
		+.25 pps Flocele + 3% salt BWOC				
TAIL	500	Premium cmt + 2% CaCl	180	35%	15.60	1.18
		+ .25 pps flocele				
TOP OUT CMT	as required	Premium cmt + 2% CaCl	as req.		15.60	1.18
PRODUCTION LEAD	4,020'	Premium Lite II + 3% KCI + 0.25 pps	440	60%	11.00	3.38
		celloflake + 5 pps gilsonite + 10% gel		4.5		-
		+ 0.5% extender				
TAIL	5,280'	50/50 Poz/G + 10% salt + 2% gel +.1% R-3	1480	60%	14.30	1.31

^{*}Substitute caliper hole volume plus 0% excess for LEAD if accurate caliper is obtained

FLOAT EQUIPMENT & CENTRALIZERS

SURFACE	Guide shoe, 1 jt, insert float. Centralize first 3 joints with bow spring centralizers. Thread lock guide shoe.
PRODUCTION	Float shoe, 1 jt, float collar. Centralize first 3 joints & every third joint to top of tail cement with bow spring centralizers.

ADDITIONAL INFORMATION

rest casing	nead to	750 psi atter installing.	. Test surface casing to	1,500 psi prior ti	o aniling out

BOPE: 11" 5M with one annular and 2 rams. Test to 5,000 psi (annular to 2,500 psi) prior to drilling out. Record on chart recorder & tour sheet. Function test rams on each trip. Maintain safety valve & inside BOP on rig floor at all times. Kelly to be equipped with upper

& lower kelly valves.

Drop Totco surveys every 2000'. Maximum allowable hole angle is 5 degrees.

Most rigs have PVT Systems for mud monitoring. If no PVT is available, visual monitoring will be utilized.

DRILLING ENGINEER:		DATE:
	Brad Laney	

DRILLING SUPERINTENDENT:

Brad Laney		
	DATE:	
Randy Bayne		

^{*}Substitute caliper hole volume plus 10% excess for TAIL if accurate caliper is obtained

NBU 1022-05JT TWIN TO NBU 339 NWSE, SEC. 5, T10S, R22E, SLB&M UINTAH COUNTY, UTAH UTU-01191

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

1. Existing Roads:

Refer to the attached location directions.

Refer to Topo Maps A and B for location of access roads within a 2-mile radius.

2. Planned Access Roads:

No new access road is proposed. Refer to Topo Map B.

Existence of pipelines; maximum grade; turnouts; major cut and fills, culverts, or bridges; gates, cattle guards, fence cuts, or modifications to existing facilities were determined at the on-site.

Please see the Natural Buttes Unit Standard Operating Procedure (SOP).

3. <u>Location of Existing Wells Within a 1-Mile Radius:</u>

Please refer to Topo Map C.

4. Location of Existing & Proposed Facilities:

Please see the Natural Buttes Unit SOP.

Utilizing existing pipeline.

Variances to Best Management Practices (BMPs) Requested:

All facilities will be painted within six months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) will be excluded. The requested color is Carlsbad Canyon Brown (2.5Y 6/2), a non-reflective earthtone.

Interim Surface Reclamation Plan:

This exception is requested due to the current twin and multi-well program. If determined that this well will not be a candidate for either twinning &/or multi-well the operator shall spread the topsoil pile on the location up to the rig anchor points. The location will be reshaped to the original contour to the extent possible. The operator will reseed the area using the BLM recommended seed mixture and reclamation methods.

5. Location and Type of Water Supply:

Please see the Natural Buttes SOP.

6. Source of Construction Materials:

Please see the Natural Buttes SOP.

7. Methods of Handling Waste Materials:

Please see the Natural Buttes SOP.

A plastic reinforced liner is to be used as discussed during on-site inspection. It will be a minimum of 20 mil thick and felt, with sufficient bedding used to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash or scrap that could puncture the liner will be disposed of in the pit.

Any produced water from the proposed well will be contained in a water tank and will then be hauled by truck to one of the pre-approved disposal sites: RNI, Sec. 5, T9S, R22E, NBU #159, Sec. 35, T9S R21E, Ace Oilfield, Sec. 2, T6S, R20E, MC&MC, Sec. 12, T6S, R19E, Pipeline Facility Sec. 36, T9S, R20E, Goat Pasture Evaporation Pond SW/4 Sec. 16, T10S, R22E, Bonanza Evaporation Pond Sec. 2, T10S, R23E (Request is in lieu of filing Form 3160-5, after initial production).

8. Ancillary Facilities:

Please see the Natural Buttes SOP.

9. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

Location size may change prior to the drilling of the well due to the current rig availability. If the proposed location is not large enough to accommodate the drilling rig. The location will be resurveyed and a form 3160-5 will be submitted.

10. Plans for Reclamation of the Surface:

Please see the Natural Buttes SOP.

Upon reclamation of the pit the operator will utilize the same seed mix approved for the NBU 165. Operator shall call the BLM for the seed mixture when final reclamation occurs.

11. Surface and Mineral Ownership:

The well pad, access road, pipeline and mineral ownership are listed below:

United States of America Bureau of Land Management 170 South 500 East Vernal, UT 84078 (435)781-4400

13. Other Information:

A Class III archaeological survey, T&E Clearance and a paleontological survey have been performed and will be sent to the BLM with a form letter

This location is not within 460' from the boundary of the Natural Buttes Unit, nor is it within 460' of any non-committed tract lying within the boundaries of the Unit.

13. Lessee's or Operator's Representative & Certification:

Raleen White Sr. Regulatory Analyst Kerr-McGee Oil & Gas Onshore LP PO Box 173779 Denver, CO (720) 929-6666 Randy Bayne Drilling Manager Kerr-McGee Oil & Gas Onshore LP 1368 South 1200 East Vernal, UT 84078 (435) 781-7018

Certification: All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees.

Kerr-McGee Oil & Gas Onshore LP is considered to be the operator of the subject well. Kerr-McGee Oil & Gas Onshore LP agrees to be responsible under the terms and conditions of the lease for the operations conducted upon leased lands.

The Operator will be fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

Bond coverage pursuant to 43 CFR 3104 for lease activities is being provided by BLM Nationwide Bond #WYB000291.


I hereby certify that I, or persons under my supervision, have inspected the proposed drill site and access route, that I am familiar with the conditions that currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and the work associated with the operations proposed herein will be performed by the Operator, its contractors, and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

Raleen White 6/13/2008
Date

Kerr-McGee Oil & Gas Onshore, LP NBU #1022-05JT SECTION 5, T10S, R22E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH, ALONG U.S. HIGHWAY 40 APPROXIMATELY 13.2 MILES TO THE JUNCTION OF STATE HIGHWAY 88; EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 16.5 MILES TO OURAY, UTAH; PROCEED FROM OURAY, UTAH, IN A SOUTHERLY DIRECTION ON STATE HIGHWAY 88 APPROXIMATELY 9.4 MILES TO THE JUNCTION OF STATE HIGHWAY 88 AND SEEP RIDGE ROAD: EXIT LEFT AND PROCEED IN A SOUTHEASTERLY DIRECTION APPROXIMATELY 1.7 MILES TO THE JUNCTION OF THIS ROAD AND GLEN BENCH ROAD: EXIT LEFT AND PROCEED IN AN EASTERLY DIRECTION FOR APPROXIMATELY 5.1 MILES TO THE JUNCTION OF THIS ROAD AND BITTER CREEK ROAD; TURN RIGHT AND PROCEED IN A SOUTHERLY DIRECTION. GRADUALLY CHANGING TO SOUTHEASTERLY FOR APPROXIMATELY 4.0 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTH: TURN LEFT AND PROCEED IN A NORTHERLY DIRECTION, GRADUALLY CHANGING TO NORTHEASTERLY APPROXIMATELY 3.1 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTH: TURN LEFT AND PROCEED IN A NORTHERLY DIRECTION APPROXIMATELY 0.2 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE WEST; TURN LEFT AND PROCEED IN A CHANGING WESTERLY DIRECTION, GRADUALLY TO NORTHWESTERLY APPROXIMATELY 1.3 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTHEAST: TURN RIGHT AND PROCEED IN A NORTHEASTERLY DIRECTION GRADUALLY CHANGING TO NORTHERLY APPROXIMATELY 0.6 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTHEAST; TURN RIGHT AND PROCEED IN A NORTHEASTERLY DIRECTION APPROXIMATELY 0.1 MILES TO THE JUNCTION OF THIS ROAD AND THE PROPOSED NBU 1022-05JT WELL LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH, TO THE PROPOSED NBU 1022-05JT WELL LOCATION IS APPROXIMATELY 55.2 MILES.






PHOTO VIEW: LOCATION STAKE

CAMERA ANGLE: SOUTHEASTERLY




PHOTO VIEW: EXISTING ROAD

ANADARKO PETROLEUM CORPORATION

1099 18th Street, Suite 1200 - Denver, Colorado 80202

NBU 1022-05JT 2203' FSL, 2319' FEL

NW1SE1 OF SECTION 5, T10S, R22E, S.L.B.&M. UINTAH COUNTY, UTAH.



CONSULTING, LLC 371 Coffeen Avenue Sheridan WY 82801 Phone 307-674-0609 Fax 307-674-0182


CAMERA ANGLE: NORTHEASTERLY


LOCATION PHOTOS	DATE TAKEN: 06-02-08
LOCATION 1 HOTOL	DATE DRAWN: 06-03-08
TAKEN BY: B.J.S. DRAWN BY: M.W.W.	REVISED:

Timberline

(435) 789-1365 Engineering & Land Surveying, Inc. 38 WEST 100 NORTH VERNAL, UTAH 84078

SHEET





Legend

Proposed NBU 1022-05JT Well Location

Existing Access Roads


Kerr-McGee Oil & Gas Onshore, LP 1099 18th Street, Suite 1200 - Denver, Colorado 80202

NBU 1022-05JT Topo B 2203' FSL, 2319' FEL NE¼ SE¼, Section 5, T10S, R22E S.L.B.&M., Uintah County, Utah




Scale: 1" = 2000ft	NAD83 USP Central	Sheet No:
Drawn: JELo Revised:	Date: 6 June 2008 Date:	6

6 of 7



APD RECEIVED: 06/16/2008	API	NO. ASSIC	GNED: 43-047	-40153
WELL NAME: NBU 1022-05JT	_			
OPERATOR: KERR-MCGEE OIL & GAS (N2995	PHONE	E NUMBER:	720-929-6666	6
CONTACT: RALEEN WHITE	_			
PROPOSED LOCATION:	INSP	ECT LOCATN	1 BY: /	/
NWSE 05 100S 220E SURFACE: 2203 FSL 2319 FEL	Tech	Review	Initials	Date
BOTTOM: 2203 FSL 2319 FEL	Engi	neering		
COUNTY: UINTAH	Geol	ogy		
LATITUDE: 39.97673 LONGITUDE: -109.4619 UTM SURF EASTINGS: 631346 NORTHINGS: 442	6097 Surf	ace		
FIELD NAME: NATURAL BUTTES (630)			
LEASE TYPE: 1 - Federal LEASE NUMBER: UTU-01191 SURFACE OWNER: 1 - Federal		OSED FORMA BED METHAN)
RECEIVED AND/OR REVIEWED:	LOCATION AN	D SITING:		
Plat	R649-2	-3.		
Bond: Fed[1] Ind[] Sta[] Fee[]	Unit: NATUR	RAL BUTTES		
(No. <u>WYB-000291</u>)		-2. Gener		
$\frac{\mathcal{L}}{\checkmark}$ Potash (Y/N) Oil Shale 190-5 (B) or 190-3 or 190-13			raı tr/Qtr & 920' B	etween Wells
Water Permit	'	-3. Excep		
(No. 43-8496)		_		
RDCC Review (Y/N)	Drilli	_	173-14	
(Date:)	Eff D	ate:	17-9-194	14
Fee Surf Agreement (Y/N)	Sitin	g: Yeo'h	uldr Elene	mm. There
LUM Intent to Commingle (Y/N)	R649-3	-11. Dire	ectional Dril	Ll
COMMENTS:	enati file.			
				<u></u>
STIPULATIONS: 1- Federal 2- Du	SHALE			



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

June 18, 2008

Memorandum

To: Assistant District Manager Minerals, Vernal District

From: Michael Coulthard, Petroleum Engineer

Subject: 2008 Plan of Development Natural Buttes Unit

Uintah County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2008 within the Natural Buttes Unit, Uintah County, Utah.

API # WELL NAME

LOCATION

(Proposed PZ MesaVerde)

43-047-40146 NBU 922-29LT Sec 29 T09S R22E 1978 FSL 0957 FWL 43-047-40147 NBU 922-32AT Sec 32 T09S R22E 0457 FNL 0113 FEL 43-047-40148 NBU 922-32BT Sec 32 T09S R22E 0701 FNL 2116 FEL 43-047-40149 NBU 1022-03FT Sec 03 T10S R22E 2059 FNL 1825 FWL 43-047-40150 NBU 1022-03CT Sec 03 T10S R22E 0715 FNL 1777 FWL 43-047-40151 NBU 1022-04HT Sec 04 T10S R22E 2015 FNL 0566 FEL 43-047-40153 NBU 1022-04AT Sec 04 T10S R22E 2015 FNL 0566 FEL 43-047-40153 NBU 1022-05JT Sec 05 T10S R22E 203 FSL 2319 FEL 43-047-40154 NBU 1022-05JT Sec 05 T10S R22E 2203 FSL 2319 FEL 43-047-40155 NBU 1022-05JT Sec 05 T10S R22E 2288 FSL 0691 FEL 43-047-40156 NBU 1022-05BT Sec 05 T10S R22E 2475 FNL 1886 FEL 43-047-40156 NBU 1022-06ET Sec 06 T10S R22E 2475 FNL 0628 FWL 43-047-40158 NBU 1022-06DT Sec 06 T10S R22E 2108 FNL 1669 FWL 43-047-40158 NBU 1022-06DT Sec 06 T10S R22E 2108 FNL 1669 FWL 43-047-40158 NBU 1022-06DT Sec 06 T10S R22E 2108 FNL 0311 FWL

This office has no objection to permitting the wells at this time.



Lieutenant Governor

State Utah
DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

June 18, 2008

Kerr-McGee Oil & Gas Onshore LP P O Box 173779 Denver, CO 80217-3779

Re:

NBU 1022-05JT Well, 2203' FSL, 2319' FEL, NW SE, Sec. 5, T. 10 South, R. 22 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-40153.

Sincerely,

Gil Hunt

Associate Director

pab Enclosures

cc:

Uintah County Assessor

Bureau of Land Management, Vernal Office



Operator:	Kerr-McGee Oil & Gas Onshore LP				
Well Name & Number	NBU 1022-05JT				
API Number:	43-047-40153				
Lease:	UTU-01191				
Location: <u>NW SE</u>	Sec. 5 T. 10 South R. 22 East				

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

• Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dustin Doucet at (801) 538-5281 office (801) 733-0983 home

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. In accordance with Order in Cause No. 190-5(b) dated October 28, 1982, the Operator shall comply with requirements of Rules R649-3-31 and R649-3-27 pertaining to Designated Oil Shale Areas. Additionally, the operator shall ensure that the surface and/or production casing is properly cemented over the entire oil shale interval as defined by Rule R649-3-31. The Operator shall report the actual depth the oil shale is encountered to the Division.

Form 3160-3 (August 1999)

RECEIVED VERNAL FIELD OFFICE

UNITED STATES 2008 JUN 17

DEPARTMENT OF THE INTERIOR

APPLICATION FOR PERMIT TO DRILL

BUREAU OF LAND MANAGEMEN DEPT OF THE INTERIOR

FORM APPROVED OMB No. 1004-0136 Expires November 30, 2000

Lease Serial No.

	010-01191
	6. If Indian, Allottee or Tribe Name
_	
	7. If Unit or CA Agreement, Name and No.
	UNIT #891008900A
	8. Lease Name and Well No.
	NBU 1022-05JT
	9. API Well No.
	43 047 40153
	10. Field and Pool, or Exploratory
	NATURAL BUTTES
	11. Sec., T., R., M., or Blk, and Survey or Area

la. Type of Work: X REENTER b. Type of Well: Oil Well X Gas Well Other X Multiple Zone Single Zone 2. Name of Operator KERR-MCGEE OIL & GAS ONSHORE LP 3A. Address 3b. Phone No. (include area code) PO BOX 173779, DENVER, CO 80123 (720) 929-6666 4. Location of Well (Report location clearly and in accordance with any State requirements.*) NWSE - 2203' FSL, 2319' FEL At surface SEC 5-T10S-R22E At proposed prod. Zone 14. Distance in miles and direction from nearest town or post office* 12. County or Parish 13. State 26 +/- MILES SOUTH EAST OF OURAY, UTAH UINTAH UT 5. Distance from proposed' 16. No. of Acres in lease 17. Spacing Unit dedicated to this well location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 2203' 1041.78 8. Distance from proposed location* to nearest well, drilling, completed, 19. Proposed Depth 20. BLM/BIA Bond No. on file REFER TO applied for, on this lease, ft. 9300 WYB-000291 TOPO C 21. Elevations (Show whether DF, KDB, RT, GL, etc.) 22. Approximate date work will start* 23. Estimated duration 5230 GR **UPON APPROVAL** TO BE DETERMINED 24. Attachments The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form: 1. Well plat certified by a registered surveyor. Bond to cover the operations unless covered by an existing bond on file (see 2. A Drilling Plan. Item 20 above). 3. A Surface Use Plan (if the location is on National Forest System Lands, the Operator certification. SUPO shall be filed with the appropriate Forest Service Office. Such other site specific information and/or plans as may be required by the 6/13/2008

		authorized office.	
25. Signature of		Name (Printed/Typed)	Date
Mallen	While	RALEEN WHITE	

litle SR. REGULATORY ANALYST

KENIZKA

Assistant Field Manager ands & Mineral Resources

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct

perations thereon. Conditions of approval, if any, are attached

litle 18 U.S.C. Section 1001and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)


Approved by

Fitle

NOTICE OF APPROVAL

RECEIVED

NOV 2 4 2008







UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

VERNAL FIELD OFFICE VERNAL, UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Kerr McGee Oil & Gas Onshore, LP

Location: Lease No: NWSE, Sec. 5, T10S, R22E

Well No: NBU 1022-05JT API No: 43-047-40153

Agreement:

Natural Buttes Unit

UTU-01191

Title	Name	Office Phone Number	Cell Phone Number
Petroleum Engineer:	Matt Baker	(435) 781-4490	(435) 828-4470
Petroleum Engineer:	Michael Lee	(435) 781-4432	(435) 828-7875
Petroleum Engineer:	Ryan Angus	(435) 781-4430	(435) 828-7368
Supervisory Petroleum Technician:	Jamie Sparger	(435) 781-4502	(435) 828-3913
Supervisory NRS:	Karl Wright	(435) 781-4484	
NRS/Enviro Scientist:	Holly Villa	(435) 781-4404	(435) 828-3544
NRS/Enviro Scientist:	James Hereford	(435) 781-3412	(435) 828-3546
NRS/Enviro Scientist:	Chuck Macdonald	(435) 781-4441	(435) 828-7481
NRS/Enviro Scientist:	Dan Emmett	(435) 781-3414	(435) 828-4029
NRS/Enviro Scientist:	Paul Percival	(435) 781-4493	(435) 828-7381
NRS/Enviro Scientist:	Anna Figueroa	(435) 781-3407	(435) 828-3548
NRS/Enviro Scientist:	Verlyn Pindell	(435) 781-3402	(435) 828-3547
NRS/Enviro Scientist:	Nathan Packer	(435) 781-3405	(435) 828-3545
NRS/Enviro Scientist:	David Gordon	(435) 781-4424	

Fax: (435) 781-3420

A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.

NOTIFICATION REQUIREMENTS

Location Construction	-	Forty-Eight (48) hours prior to construction of location and
(Notify Environmental Scientist)		access roads.
Location Completion	-	Prior to moving on the drilling rig.
(Notify Environmental Scientist)		
Spud Notice	-	Twenty-Four (24) hours prior to spudding the well.
(Notify Petroleum Engineer)		
Casing String & Cementing	-	Twenty-Four (24) hours prior to running casing and
(Notify Supv. Petroleum Tech.)		cementing all casing strings.
BOP & Related Equipment Tests	-	Twenty-Four (24) hours prior to initiating pressure tests.
(Notify Supv. Petroleum Tech.)		
First Production Notice	-	Within Five (5) business days after new well begins or
(Notify Petroleum Engineer)	-	production resumes after well has been off production for
• • • • • • • • • • • • • • • • • • • •		more than ninety (90) days.

Page 2 of 6 Well: NBU 1022-05JT 11/17/2008

SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

- If there is an active Gilsonite mining operation within 2 miles of the well location, operator shall notify the Gilsonite operator at least 48 hours prior to any blasting during construction.
- If paleontological materials are uncovered during construction, the operator is to immediately stop work and contact the Authorized Officer (AO). A determination will be made by the AO as to what mitigation may be necessary for the discovered paleontologic material before construction can continue.

SITE SPECIFIC COAs:

None

Page 3 of 6 Well: NBU 1022-05JT 11/17/2008

DOWNHOLE PROGRAM CONDITIONS OF APPROVAL (COAs)

SITE SPECIFIC DOWNHOLE COAs:

- A copy of Kerr McGee's Standard Operating Practices (dated 7/17/08 and approved 7/28/08) shall be on location.
- Kerr McGee and their contractors shall strictly adhere to all operating practices in the SOP along with all Oil and Gas rules and requirements listed in the Code of Federal Regulations and all Federal Onshore Oil and Gas Orders except where variances have been granted.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the
 daily drilling report. Components shall be operated and tested as required by Onshore Oil &
 Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be
 performed by a test pump with a chart recorder and <u>NOT</u> by the rig pumps. Test shall be
 reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- Cement baskets shall not be run on surface casing.
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water
 is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM
 Vernal Field Office.

Page 4 of 6 Well: NBU 1022-05JT 11/17/2008

- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.
- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM,
 Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum
 Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the <u>top of cement</u> and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- Please submit an electronic copy of all other logs run on this well in LAS format to UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

Page 5 of 6 Well: NBU 1022-05JT 11/17/2008

OPERATING REQUIREMENT REMINDERS:

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- In accordance with 43 CFR 3162.4-3, this well shall be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.
- Should the well be successfully completed for production, the BLM Vernal Field office must be
 notified when it is placed in a producing status. Such notification will be by written
 communication and must be received in this office by not later than the fifth business day
 following the date on which the well is placed on production. The notification shall provide, as a
 minimum, the following informational items:
 - Operator name, address, and telephone number.
 - Well name and number.
 - Well location (¼¼, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - o The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - o The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - o Unit agreement and/or participating area name and number, if applicable.
 - o Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or

Page 6 of 6 Well: NBU 1022-05JT 11/17/2008

data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field
 Office Petroleum Engineers will be provided with a date and time for the initial meter calibration
 and all future meter proving schedules. A copy of the meter calibration reports shall be
 submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API
 standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All
 measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted
 to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs
 first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be
 adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively
 sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
 equipment shall be removed from a well to be placed in a suspended status without prior
 approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30
 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given
 before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office
 Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in
 order that a representative may witness plugging operations. If a well is suspended or
 abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent
 Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual
 plugging of the well bore, showing location of plugs, amount of cement in each, and amount of
 casing left in hole, and the current status of the surface restoration.

STATE OF UTAH			FORM 9		
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MININ	IG	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-01191		
SUNDE	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
	sals to drill new wells, significantly deepen exigged wells, or to drill horizontal laterals. Use a		7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: NBU 1022-05JT		
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ONSI	HORE, L.P.		9. API NUMBER: 43047401530000		
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th S	treet, Suite 600, Denver, CO, 80217 3779	PHONE NUMBER: 720 929-6587 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2203 FSL 2319 FEL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NWSE Section: 05	P, RANGE, MERIDIAN: Township: 10.0S Range: 22.0E Meridian: S		STATE: UTAH		
11. CHE	CK APPROPRIATE BOXES TO INDICATE N	NATURE OF NOTICE, REPORT,	OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	☐ ACIDIZE ☐	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	CHANGE TUBING	☐ CHANGE WELL NAME		
6/12/2009	☐ CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	☐ CONVERT WELL TYPE		
SUBSEQUENT REPORT	☐ DEEPEN ☐	FRACTURE TREAT	☐ NEW CONSTRUCTION		
Date of Work Completion:	☐ OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK		
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
SPUD REPORT Date of Spud:	☐ REPERFORATE CURRENT FORMATION ☐	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
	☐ TUBING REPAIR ☐	VENT OR FLARE	WATER DISPOSAL		
☐ DRILLING REPORT	☐ WATER SHUTOFF ☐	SI TA STATUS EXTENSION	✓ APD EXTENSION		
Report Date:	☐ WILDCAT WELL DETERMINATION ☐	OTHER	OTHER:		
Kerr-McGee Oil & Ga extension to this A	MPLETED OPERATIONS. Clearly show all pertine as Onshore, L.P. (Kerr-McGee) re PD for the maximum time allowe with any questions and/or comm	espectfully requests an ed. Please contact the ents. Thank you.	Approved by the Utah Division of Oil, Gas and Mining ate: June 10, 2009 y:		
NAME (DI FACE PRINT)	BUONE NUMBER	TTT F			
NAME (PLEASE PRINT) Danielle Piernot	PHONE NUMBER 720 929-6156	TITLE Regulatory Analyst			
SIGNATURE N/A		DATE 6/9/2009			



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047401530000

API: 43047401530000 Well Name: NBU 1022-05JT

Location: 2203 FSL 2319 FEL QTR NWSE SEC 05 TWNP 100S RNG 220E MER S

Company Permit Issued to: KERR-MCGEE OIL & GAS ONSHORE, L.P.

Date Original Permit Issued: 6/18/2008

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that requ

	tion as submitted in t sion. Following is a ch						
	ated on private land, l ed? 📗 Yes 🌘 No	nas the own	ership changed, i	f so, has the s	urface agr	eement been	
	any wells been drilled requirements for this			ed well which	would affe	ect the spacing or	
	nere been any unit or s proposed well?			e that could a	ffect the p	ermitting or oper	atio
	there been any chang the proposed locatio			ing ownership	, or righto	f- way, which cou	blı
• Has ti	ne approved source of	f water for d	Irilling changed?	Yes 📵	No		
	there been any physic je in plans from what					-	1
• Is bor	nding still in place, wh	nich covers t	this proposed wel	l? 📵 Yes 🕕	No Uta	proved by the ah Division of Gas and Mining	j
nature:	Danielle Piernot	Date:	6/9/2009				
Title:	Regulatory Analyst Re	presenting:	KERR-MCGEE OIL	& GAS ONSHOR	<u> </u>	June 10, 2009	
	· ,	•			, p v	$O(M_{0.5})$	

Sig

By: Dodg

			7
	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE		FORM 9
	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-01191		
SUNDF	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposition-hole depth, reenter plu DRILL form for such proposals.	7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES		
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: NBU 1022-05JT		
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ONS	HORE, L.P.		9. API NUMBER: 43047401530000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th S	treet, Suite 600, Denver, CO, 80217 3779	PHONE NUMBER: 720 929-6007 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2203 FSL 2319 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NWSE Section: 05	IP, RANGE, MERIDIAN: Township: 10.0S Range: 22.0E Meridian:	S	STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
6/18/2010	CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	☐ CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	☐ TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL
☐ DRILLING REPORT	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	☐ WILDCAT WELL DETERMINATION	☐ OTHER	OTHER:
12. DESCRIBE PROPOSED OR CO	MPLETED OPERATIONS. Clearly show all pe	ertinent details including dates, denths, v	olumes, etc.
extension to this A	as Onshore, L.P. (Kerr-McGee PD for the maximum time allowith any questions and/or cor	owed. Please contact the	Approved by the Utah Division of Oil, Gas and Mining
		D	ate: June 23, 2010
		В	y: Balyll
NAME (PLEASE PRINT) Danielle Piernot	PHONE NUMBER 720 929-6156	R TITLE Regulatory Analyst	
SIGNATURE		DATE 6/17/2010	
N/A		6/17/2010	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047401530000

API: 43047401530000 Well Name: NBU 1022-05JT

Location: 2203 FSL 2319 FEL QTR NWSE SEC 05 TWNP 100S RNG 220E MER S

Company Permit Issued to: KERR-MCGEE OIL & GAS ONSHORE, L.P.

Date Original Permit Issued: 6/18/2008

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that requ

	tion as submitted in ti sion. Following is a ch						
	ated on private land, hed? 📵 No	as the own	ership changed,	if so, has t	he surface	e agreemer	t been
	any wells been drilled requirements for this				nich would	affect the	spacing or
	nere been any unit or s proposed well?			ce that cou	ld affect t	he permitt	ing or operation
	there been any chang the proposed location			ding owner	ship, or ri	ghtof- way	, which could
• Has th	ne approved source of	water for d	rilling changed?	Yes (No No		
	there been any physic je in plans from what						II require a
• Is bor	nding still in place, wh	ich covers t	his proposed w	ell? 📵 Ye	_	Approve Utah Div Dil, Gas a	d by the rision of nd Mining
nature:	Danielle Piernot	Date:	6/17/2010				
Title:	Regulatory Analyst Rep	oresenting:	KERR-MCGEE OII	& GAS ONS	HOR Pate	June 2	3, 2010
		_			1	11:00	([)

Sig

By: Dolly

			7
	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE		FORM 9
	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-01191		
SUNDF	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposition-hole depth, reenter plu DRILL form for such proposals.	7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES		
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: NBU 1022-05JT		
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ONS	HORE, L.P.		9. API NUMBER: 43047401530000
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th S	treet, Suite 600, Denver, CO, 80217 3779	PHONE NUMBER: 720 929-6007 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2203 FSL 2319 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NWSE Section: 05	IP, RANGE, MERIDIAN: Township: 10.0S Range: 22.0E Meridian:	S	STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
6/18/2010	CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	☐ CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	☐ TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL
☐ DRILLING REPORT	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	☐ WILDCAT WELL DETERMINATION	☐ OTHER	OTHER:
12. DESCRIBE PROPOSED OR CO	MPLETED OPERATIONS. Clearly show all pe	ertinent details including dates, depths, v	olumes, etc.
extension to this A	as Onshore, L.P. (Kerr-McGee PD for the maximum time allowith any questions and/or cor	owed. Please contact the	Approved by the Utah Division of Oil, Gas and Mining
		D	ate: June 23, 2010
		В	y: Balyll
NAME (PLEASE PRINT) Danielle Piernot	PHONE NUMBER 720 929-6156	R TITLE Regulatory Analyst	
SIGNATURE		DATE 6/17/2010	
N/A		6/17/2010	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047401530000

API: 43047401530000 Well Name: NBU 1022-05JT

Location: 2203 FSL 2319 FEL QTR NWSE SEC 05 TWNP 100S RNG 220E MER S

Company Permit Issued to: KERR-MCGEE OIL & GAS ONSHORE, L.P.

Date Original Permit Issued: 6/18/2008

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that requ

	tion as submitted in ti sion. Following is a ch						
	ated on private land, hed? 📵 No	as the own	ership changed,	if so, has t	he surface	e agreemer	t been
	any wells been drilled requirements for this				nich would	affect the	spacing or
	nere been any unit or s proposed well?			ce that cou	ld affect t	he permitt	ing or operation
	there been any chang the proposed location			ding owner	ship, or ri	ghtof- way	, which could
• Has th	ne approved source of	water for d	rilling changed?	Yes (No No		
	there been any physic je in plans from what						II require a
• Is bor	nding still in place, wh	ich covers t	his proposed w	ell? 📵 Ye	_	Approve Utah Div Dil, Gas a	d by the rision of nd Mining
nature:	Danielle Piernot	Date:	6/17/2010				
Title:	Regulatory Analyst Rep	oresenting:	KERR-MCGEE OII	& GAS ONS	HOR Pate	June 2	3, 2010
		_			1	11:00	([)

Sig

By: Dolly

Sundry Number: 15102 API Well Number: 43047401530000

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			FORM 9	
			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-01191	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: NATURAL BUTTES	
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: NBU 1022-05JT			
2. NAME OF OPERATOR: KERR-MCGEE OIL & GAS ONS	9. API NUMBER: 43047401530000			
3. ADDRESS OF OPERATOR: P.O. Box 173779 1099 18th S	9. FIELD and POOL or WILDCAT: NATURAL BUTTES			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2203 FSL 2319 FEL	COUNTY: UINTAH			
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NWSE Section: 05	STATE: UTAH			
11. CHE	CK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT	, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
Kerr-McGee Oil & G extension to this A	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION OMPLETED OPERATIONS. Clearly show all pertinas Onshore, L.P. (Kerr-McGee) APD for the maximum time allow with any questions and/or com	respectfully requests an wed. Please contact the ments. Thank you.	NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL ✓ APD EXTENSION OTHER: Volumes, etc.	
NAME (DI FACE DOTNT)	DUONE NIIMPED	TITLE		
NAME (PLEASE PRINT) Andy Lytle	PHONE NUMBER 720 929-6100	TITLE Regulatory Analyst		
SIGNATURE N/A		DATE 5/13/2011		

Sundry Number: 15102 API Well Number: 43047401530000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047401530000

API: 43047401530000 **Well Name:** NBU 1022-05JT

Location: 2203 FSL 2319 FEL QTR NWSE SEC 05 TWNP 100S RNG 220E MER S

Company Permit Issued to: KERR-MCGEE OIL & GAS ONSHORE, L.P.

Date Original Permit Issued: 6/18/2008

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

	ated on private land, has t ed? Yes No	the ownership changed, if so, has	the surface a	greement been
	any wells been drilled in t requirements for this loca	the vicinity of the proposed well wation? (a) Yes (a) No	hich would a	ffect the spacing or
	here been any unit or othe s proposed well? Yes	er agreements put in place that co No	uld affect the	permitting or operation
	there been any changes to the proposed location?(o the access route including owne Yes No	rship, or righ	tof- way, which could
• Has t	he approved source of wat	ter for drilling changed? 🔘 Yes	No	
		hanges to the surface location or a discussed at the onsite evaluation		
• Is bo	nding still in place, which	covers this proposed well? 🌘 Y	es 🔵 No	
Signature:	Andy Lytle	Date: 5/13/2011		

Title: Regulatory Analyst Representing: KERR-MCGEE OIL & GAS ONSHORE, L.P.

United States Department of the Interior



BUREAU OF LAND MANAGEMENT

Green River District-Vernal Field Office 170 South 500 East Vernal, UT 84078 (435) 781-4400 Fax: (435) 781-4410 http://www.blm.gov/ut/st/en/fo/vernal.html



AUG 3 0 2011

IN REPLY REFER TO: 3160 (UTG011)

Julie Jacobson Kerr McGee Oil & Gas Onshore LP PO Box 173779 Denver, CO 80217-3779

43 DAT 40153

Re:

Notice of Expiration Well No. NBU 1022-05JT NWSE, Sec. 5, T10S, R22E Uintah County, Utah Lease No. UTU-01191 Natural Buttes Unit

Dear Ms. Jacobson:

The Application for Permit to Drill (APD) for the above-referenced well was approved on November 19, 2008. No extension of the original APD was requested. According to our records, no known activity has transpired at the approved location. In view of the foregoing, this office is notifying you that the approval of the referenced application has expired. If you intend to drill at this location in the future, a new Application for Permit to Drill must be submitted.

This office requires a letter confirming that no surface disturbance has been made for this drill site. Any surface disturbance associated with the approved location of this well is to be rehabilitated. A schedule for this rehabilitation must be submitted to this office. Your cooperation in this matter is appreciated.

If you have any questions regarding this matter, please contact Cindy Severson at (435) 781-4455.

Sincerely,

Jerrý Kenczka

Assistant Field Manager

RECEIVED & Mineral Resources

SEP 0 6 2011

UDOGM

CC:

DIV. OF OIL, GAS & MINING



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA

Division Director

May 9, 2012

Jenn Hawkins Anadarko Petroleum Corporation 1099 18th Street, Suite 1800 Denver, CO 80202 43 047 40153 NBU 1022-055T 105 72E 5

Re:

APDs Rescinded for Anadarko Petroleum Corporation

Uintah County

Dear Ms. Hawkins:

Enclosed find the list of APDs that you requested to be rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded, effective May 2, 2012.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

Environmental Scientist

fand Il lusin

cc: Well File

Bureau of Land Management, Vernal

SITLA, Ed Bonner



4304750055	NBU 753-32E	4304740374	NBU 705-26E
4304750683	NBU 634-12EX	4304750123	NBU 920-12N
4304740346	NBU 921-15N1S	4304750143	NBU 920-13J
4304740347	NBU 921-14M3S	4304750751	NBU 920-21G
4304740348	NBU 921-22A1S	4304750756	NBU 1022-35I1CS
4304750089	NBU 921-1503T	4304750757	NBU 1022-35I4BS
4304740441	NBU 1022-25G2S	4304750758	NBU 1022-35J1CS
4304740442	NBU 1022-25G4S	4304750759	NBU 1022-3534CS
4304740443	NBU 1022-25G3S	4304740380	NBU 920-13D
4304750852	FEDERAL 920-230	4304750155	FEDERAL 920-240
4304751026	NBU 921-12K	4304750769	NBU 1022-35K4CS
4304751027	NBU 921-12L	4304750770	NBU 1022-35N1CS
4304751028	NBU 921-12M	4304750771	NBU 1022-3501BS
4304751039	NBU 920-210	4304750772	NBU 1022-3501CS
4304750697	NBU 687-30E	4304750791	NBU 921-100
4304750811	NBU 699-25E	4304750792	NBU 921-10M
> 4304740153	NBU 1022-05JT	4304740439	NBU 1022-24P2S
4304740135	NBU 921-15MT	4304740440	NBU 1022-24P4S
4304750468	NBU 738-30E		
4304739369	NBU 922-180		
4304739372	NBU 922-20E		
4304740184	NBU 921-30FT		•
4304740217	NBU 759-29E		
4304740218	NBU 737-30E		
4304750461	NBU 1022-2402S		
4304740267	NBU 704-26E		
4304740240	NBU 702-26E		
4304740241	NBU 703-26E	·	
4304750578	NBU 920-14B		
4304750579	NBU 920-14A		
4304740268	NBU 701-26E		
4304750627	NBU 920-21P		
4304750628	NBU 920-21N		•
4304750682	NBU 921-12J		
4304750695	NBU 921-12N		
4304750111	NBU 921-11GT		
4304750112	NBU 921-11HT		

4304750118

NBU 740-30E